Public Health England	Local	Healt	h		
Local Health					
Selection: E02003598 - Isle of Wight 018					
Source: http://www.localhealth.org.uk/#l=en;v=map4					
oursel map in the state of the		colour shows significance against IOW			
Indicators		Ventnor MSOA	Isle of Wight	England	Ventnor against England
Income Deprivation (%)		18.8	14.7	14.7	•
Low Birth Weight Births (%)		9.4	7	7.4	0
Child Poverty (%)		29.6	20.8	21.8	•
Child Development at age 5 (%)		76.3	59.2	63.5	•
GCSE Achievement (5A*-C inc. Eng & Maths) (%)		32.2	44.4	58.8	•
Unemployment (%)		4.5	4.1	3.8	•
Long Term Unemployment (Rate/1,000 working age population)		11.8	12.1	10.1	4
General Health - bad or very bad (%)		7.8	6.5	5.5	•
General Health - very bad (%)		1.8	1.5	1.2	•
Limiting long term illness or disability (%)		25.7	22.6	17.6	•
Households with central heating (%)		93.1	94.9	97.3	•
Overcrowding (%)		6.1	5.8	8.7	•
Provision of 1 hour or more unpaid care per week (%)		13.6	11.9	10.2	•
Provision of 50 hours or more unpaid care per week (%)		3.6	3	2.4	•
Pensioners living alone (%)		30.8	30.5	31.5	<u> </u>
Older People in Deprivation (%)		18.7	16.5	18.1	<u></u>
Obese Children (Reception Year) (%)		10.3	10	9.4	o l
Children with excess weight (Reception Year) (%)		27.3	23.4	22.5	0
Obese Children (Year 6) (%)		22.5	18.2	19.1	0
Children with excess weight (Year 6) (%)		38.8	33	33.5	0
Children's and young people's admissions for injury (Crude rate/100,0	00 aged 0-17)	1917.8	1584.5	1180.9	•

Occasional smoker (modelled prevalence, age 11-15) (%)	1.6		1.5	<u> </u>
Regular smoker (modelled prevalence, age 11-15) (%)	3.8	3.5	3.1	<u> </u>
Occasional smoker (modelled prevalence, age 15) (%)	4.2	4.3	4	
Regular smoker (modelled prevalence, age 15) (%)	10.2	9.8	8.7	0
Occasional smoker (modelled prevalence, age 16-17) (%)	6.5	6.4	5.9	O
Regular smoker (modelled prevalence, age 16-17) (%)	17.5	16.5	14.8	0
Deliveries to teenage mothers (%)	3.6	2.2	1.5	•
Admissions for injuries in under 5s (Crude rate per 10,000)	200.3	205.7	139.6	0
Emergency admissions in under 5s (Crude rate per 1000)	234.5	192	150	•
A&E attendances in under 5s (Crude rate per 1000)	315.1	377.2	509.5	•
Obese adults (%)	28.7	27.4	24.1	0
Binge drinking adults (%)	13.5	12.8	20	
Healthy eating adults (%)	26.3	25.8	28.7	<u> </u>
Emergency hospital admissions for all causes (SAR)	78.4	78.6	100	
Emergency hospital admissions for CHD (SAR)	78.5	84.5	100	<u> </u>
Emergency hospital admissions for stroke (SAR)	103.7	107.4	100	<u> </u>
Emergency hospital admissions for Myocardial Infarction (heart attack) (SAR)	88.6	96	100	<u> </u>
Emergency hospital admissions for Chronic Obstructive Pulmonary Disease (COPD) (SA	47.9	58.7	100	<u> </u>
Incidence of all cancer (SIR)	96.2	99.2	100	>
Incidence of breast cancer (SIR)	109.8	111	100	0
Incidence of colorectal cancer (SIR)	103.9	90	100	
Incidence of lung cancer (SIR)	84.9	78	100	<u> </u>
Incidence of prostate cancer (SIR)	96.5	106.7	100	<u> </u>
Hospital stays for self harm (SAR)	119.3	107.8	100	4
Hospital stays for alcohol related harm (SAR)	51.3	51.9	100	
Emergency hospital admissions for hip fracture in 65+ (SAR)	110.4	90.4	100	
Elective hospital admissions for hip replacement (SAR)	103.5	116	100	
Elective hospital admissions for knee replacement (SAR)	93.1	118.4	100	\rightarrow
Life expectancy at birth for males (years)	79.5	79.5	78.9	\rightarrow \left\rightarrow \left\right
Life expectancy at birth for females (years)	82.1	83.3	82.8	
Deaths from all causes, all ages (SMR)	101.5	95.3	100	o o
Deaths from all causes, under 65 years (SMR)	103.3	96.1	100	O
Deaths from all causes, under 75 years (SMR)	103.1	92.9	100	o o
Deaths from all cancer, all ages (SMR)	106.3	95.5	100	d
Deaths from all cancer, under 75 years (SMR)	118.8	97	100	0
Deaths from circulatory disease, all ages (SMR)	111.3	97.6	100	d

Deaths from circulatory disease, under 75 years (SMR)	110.5	96	100	Ģ	
Deaths from coronary heart disease, all ages (SMR)	108	89.3	100	4	
Deaths from coronary heart disease, under 75 years (SMR)	93.9	83.6	100	,	
Deaths from stroke, all ages (SMR)	102.5	91.6	100	o o	
Deaths from respiratory diseases, all ages (SMR)	93	78.9	100	o o	
significantly worse significantly better not significantly different from average					